TECHSEM

Techsem Power Module Technical Parameters MD Series																	
Manufacturer	ТҮРЕ	V _{rrm}	I _{F(AV)} @ A	T _c ℃	V _{FM} @	I _{FM}	I _{rrm} mA	I _{F (RMS)}	I _{PSM} A	I ² t kA ² s	V _{FO}	r _F mΩ	R _{JC} ℃/W	T _™ °C	V _{ISO} V(A. C)	weight	outline
		V															
Tecshem	MDC26	600-1800	26	100	1.65	80	8	41	650	2. 1	0.8	6.8	1.3	150	2500	172	223F3
Tecshem	MDC40	600-1800	40	100	1.55	120	8	63	1000	5	0.8	5. 57	0.9	150	2500	172	223F3
Tecshem	MDC55	600-1800	55	100	1.45	170	8	86	1300	8.45	0.8	3. 47	0.7	150	2500	172	223F3
Tecshem	MDC70	600-1800	70	100	1.4	210	8	110	1800	16. 2	0.8	2.5	0. 57	150	2500	172	223F3
Tecshem	MDC90	600-1800	90	100	1.33	270	8	141	2300	26	0.8	1. 7	0.47	150	2500	172	223F3
Tecshem	MDC110	600-1800	110	100	1.45	330	8	173	2600	33	0.8	1.74	0.35	150	2500	172	223F3
Tecshem	MDC135	600-1800	135	100	1.38	410	8	212	3900	76	0.8	1.18	0.31	150	2500	321	216F3
Tecshem	MDC160	600-1800	160	100	1.56	480	12	251	4600	106	0.8	1.35	0. 23	150	2500	321	216F3
Tecshem	MDC182	600-1800	182	100	1.43	550	12	286	6400	205	0.8	0.96	0. 22	150	2500	321	216F3
Tecshem	MDC200	600-1800	200	100	1.38	600	12	314	7500	281	0.75	0.88	0. 21	150	2500	321	216F3
Tecshem	MDC250	600-1800	250	100	1. 43	750	20	393	9500	451	0.75	0.76	0.14	150	2500	806	413F3
Tecshem	MDC300	600-1800	300	100	1.35	900	20	471	10000	500	0.75	0.55	0.13	150	2500	806	413F3
Tecshem	MDC300	2000-2500	300	100	1.45	900	20	471	10000	500	0.8	0.5	0.12	150	3000	806	413F3
Tecshem	MDC250	2000-2500	250	100	1.53	750	20	393	9500	451	0.85	0.89	0.13	150	2500	806	413F3
Tecshem	MDC500	600-1800	500	100	1.45	1500	40	785	16000	1280	0.75	0.3	0.09	150	2500	1487	416F3
Tecshem	MDC500	2000-2500	500	100	1.35	1500	40	785	16000	1280	0.85	0.38	0.075	150	3000	1487	416F3
Tecshem	MDC570	600-1800	570	100	1.45	1500	40	895	18000	1620	0.75	0.3	0.09	150	2500	1487	416F3
Tecshem	MD500	600-1800	500	100	1.45	1500	40	785	16000	1280	0.75	0.3	0.09	150	2500	764	417F2
Tecshem	MD500	2000-2500	500	100	1.35	1500	40	785	16000	1280	0.85	0.38	0.075	150	3000	764	417F2